

resimix s.r.l.

r748 - RESICEM 748

Revision nr. 2

Dated 2/11/2015

Printed on 02/11/2015

Page n.	1/10	

	Safety data sheet
SECTION 1. Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Code: Product name	r748 RESICEM 748
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Intended use premiscelato cementizio	
1.3. Details of the supplier of the s	afety data sheet
Name Full address District and Country	resimix s.r.l. via pacinotti 12/14 36040 brendola (vi) italia
	Tel. +39 (0) 444 400 773
	Fax +39 (0) 444 601 662
e-mail address of the competent pers	on
responsible for the Safety Data Shee Product distribution by	laboratorio@resimix.com resimix s.r.l.
1.4. Emergency telephone number	
For urgent inquiries refer to	+39 (0) 444 400 773
SECTION 2. Hazards ider	tification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments.

Hazard classification and indication:	
Eye Dam. 1	H318
Skin Irrit. 2	H315
STOT SE 3	H335
Skin Sens. 1	H317

2.1.2. 67/548/EEC and 1999/45/EC Directives and following amendments and adjustments.

Danger Symbols: Xi R phrases: 36/37/38-43



The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Signal words:	Danger			
H318 H315 H335 H317	Causes serious eye da Causes skin irritation. May cause respiratory May cause an allergic	irritation.		
P264Wash thoroughly after handling.P280Wear protective gloves / protective clothing / eye protection / face protection.P304+P340IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.P310Immediately call a POISON CENTER or doctor / physician.P403+P233Store in a well-ventilated place. Keep container tightly closed.				
Contains:	Portland cement			
2.3. Other hazards.				
nformation not availab	e. omposition/information/	tion on ingred	ients.	
3.1. Substances.				
nformation not relevar	t.			
3.2. Mixtures.				
Contains:				
Identification. Portland cement		Conc. %.	Classification 67/548/EEC.	Classification 1272/2008 (CLP).
CAS. 65997-15-1		58 - 62	Xi R36/37/38, Xi R43	Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1 H317
EC. 266-043-4				
INDEX				
Note: Upper limit is not	included into the range.			
T+ = Very Toxic(T+),	Risk (R) and hazard (H) phra T = Toxic(T), Xn = Harmf ghly Flammable(F), N = Dan	ful(Xn), C = Corros	ive(C), Xi = Irritant(Xi), O = Oxic	lizing(O), E = Explosive(E), F+ = Extremely
Hammaple(F+), F = H	g,	-		



resimix s.r.l.

Revision nr. 2

Dated 2/11/2015 Printed on 02/11/2015

r748 - RESICEM 748

Page n. 3/10

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

If there are no contraindications, spray powder with water to prevent the formation of dust. Avoid breathing vapours/mists/gases. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any



Revision nr. 2

Dated 2/11/2015 Printed on 02/11/2015

Page n. 4/10

contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Use spark-proof mechanical equipment to collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues. Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

United Kingdom	EH40/2005 Workplace exposure limits. Containing the list of workplace exposure
	limits for use with the Control of Substances Hazardous to Health Regulations (as
	amended).
Éire	Code of Practice Chemical Agent Regulations 2011.
OEL EU	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive
	2000/39/EC.
TLV-ACGIH	ACGIH 2012

Portland cement

Threshold Limit Value.

IRESIN		resimix s.r.l.		Revision nr. 2 Dated 2/11/2015
ADVANCED MATERIALS FOR THE E		r748 - RESICEM 748		Printed on 02/11/2015 Page n. 5/10
Туре	Country	TWA/8h	STEL/15min	

	mg/m3	ppm	mg/m3	ppm
МАК	5			
Legend:				
(C) = CEILING ; INHAL = Inhalable Fraction	; RESP = Resp	birable Fraction	; THORA = Th	noracic Fraction.
8.2. Exposure controls.				

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration. Personal protection equipment must comply with the rules in force indicated below.

HAND PROTECTION

Protect hands with category II (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in PVC, neoprene, nitryl or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves` limit depends on the duration of exposure.

EYE PROTECTION

Wear hood visor or protective visor together with airtight goggles (ref. standard EN 166).

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

RESPIRATORY PROTECTION

If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear an FFP3 (ref. standard EN 141/EN 143) type half mask.

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

An emergency eye washing and shower system must be provided.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance	powder
Colour	grey
Odour	imperceptible
Odour threshold.	Not available.
pH.	11
Melting point / freezing point.	Not available.
Initial boiling point.	Not applicable.
Boiling range.	Not available.
Flash point.	Not available.
Evaporation Rate	Not available.
Elammability of solids and gases	Not available.
Flammability of solids and gases	Not available.



Revision nr. 2

Dated 2/11/2015

Printed on 02/11/2015

Page n. 6/10

Lower inflammability limit. Upper inflammability limit. Lower explosive limit. Upper explosive limit. Vapour pressure. Vapour density Relative density. Solubility Partition coefficient: n-octanol/water Auto-ignition temperature. Decomposition temperature. Viscosity Explosive properties Oxidising properties	Not available. Not available. Not available. Not available. Not available. Not available. 1,900 Kg/l miscible Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
9.2. Other information.	

Solid content.

100,00 %

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual



resimix s.r.l.

Revision nr. 2

Dated 2/11/2015 Printed on 02/11/2015

r748 - RESICEM 748

Page n. 7/10

hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

This product may cause serious ocular lesions, cornea opacity, iris lesions, irreversible eye coloration.

Acute effects: contact with skin may cause: irritation, erythema, edema, dryness and chapped skin. Vapour inhalation may slightly irritate the upper respiratory trait. Ingestion may cause health disorders, including stomach pain and sting, nausea and sickness.

Acute effects: vapour inhalation may irritate the lower and upper respiratory tract and cause cough and respiratory disorders. At higher concentrations it can also cause pulmonary edema. Ingestion may cause health problems, including stomach pain and sting, nausea and sickness.

Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas, edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase. Scurfy skin, dryness, ulcerations and skin thickening prevail during the chronic phase.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%. **12.6. Other adverse effects.**

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Avoid littering. Do not contaminate soil, sewers and waterways.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.



Revision nr. 2

Dated 2/11/2015

r748 - RESICEM 748

Printed on 02/11/2015 Page n. 8/10

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 689/2008:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1

Revision nr. 2

Dated 2/11/2015

Printed on 02/11/2015

Page n. 9/10

		с С
H318		
H315	Causes serious eye damage. Causes skin irritation.	
H335	May cause respiratory irritation.	
H317	May cause an allergic skin reaction.	
1317		
Text of risk (R) phrases m	entioned in section 2-3 of the sheet:	
R36/37/38	IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.	
R43	MAY CAUSE SENSITISATION BY SKIN CONTACT.	
CAS NUMBER: Chemical CE50: Effective concentrat CE50: Effective concentrat CE50: Effective concentrat CE NUMBER: Identifier in CLP: EC Regulation 1272/ DNEL: Derived No Effect L EmS: Emergency Schedul GHS: Globally Harmonized IATA DGR: International Maritim IMO: International Maritim IMO: International Maritim IMO: International Maritim IMO: International Maritim INDEX NUMBER: Identifie LC50: Lethal Concentratio LD50: Lethal dose 50% OEL: Occupational Exposu PBT: Persistent bioaccum PEC: Predicted environme PEL: Predicted environme PEL: Predicted environme PEL: Predicted no effect REACH: EC Regulation 19 RID: Regulation concernin TLV: Threshold Limit Value TLV CEILLING: Concentrati TWA STEL: Short-term ex TWA: Time-weighted avera	tion (required to induce a 50% effect) ESIS (European archive of existing substances) 2008 .evel e d System of classification and labeling of chemicals ir Transport Association Dangerous Goods Regulation entration 50% ne Code for dangerous goods e Organization r in Annex VI of CLP n 50% ure Level Jlative and toxic as REACH Regulation ntal Concentration avel concentration 907/2006 g the international transport of dangerous goods by train e on that should not be exceeded during any time of occupational exposure. posure limit age exposure limit	
 Regulation (EC) 1907/200 Regulation (EC) 1272/200 Regulation (EC) 790/2009 Regulation (EC) 453/2010 Regulation (EC) 286/2011 The Merck Index 10th E Handling Chemical Safety Niosh - Registry of Toxic INRS - Fiche Toxicologie Patty - Industrial Hygien NI. Sax - Dangerous provided in Note for users: The information contained in horoughness of provided in This document must not be 	I following amendments I following amendments and adjustments D6 (REACH) of the European Parliament D8 (CLP) of the European Parliament O (I Atp. CLP) of the European Parliament 1 (II Atp. CLP) of the European Parliament I (II Atp. CLP) of the European Parliament Edition C Effects of Chemical Substances gue (toxicological sheet)	



Revision nr. 2

Page n. 10/10

Dated 2/11/2015

Printed on 02/11/2015

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 04 / 05 / 06 / 08 / 09 / 11 / 12 / 15 / 16.